

abberior LIVE 610, carboxylic acid, 500 µg


Item number

LV590-0001-500UG

Description

abberior LIVE 610 is a member of a new class of fluorescent dyes for live-cell imaging exclusively offered by abberior. This dye is highly photostable and bright red fluorescent dye, which can be effectively excited with excitation light between 630 - 650 nm. For STED, a depletion wavelength between 750 - 800 nm is recommended. Dedicated selection of the optimal isomeric structure leads to unrivaled cell permeability of this dye. abberior LIVE 610 can therefore be used in very low nanomolar concentration, reducing background and cytotoxicity effectively, allowing long-term STED and confocal imaging of living cells or tissue. Our abberior LIVE 610 is the ideal partner for abberior LIVE 550 or abberior LIVE 560 to obtain optimal 2 color live-cell imaging results.

Organic fluorescent dye for microscopy.



Properties

Absorption	λ_{ex} [nm]	611
Extinction Coefficient	ϵ_{max} [M ⁻¹ cm ⁻¹]	100000
Emission	λ_{em} [nm]	636
Quantum Efficiency	η_{fl} [%]	50
STED min.	$\lambda_{\text{STED min}}$ [nm]	750
STED max.	$\lambda_{\text{STED max}}$ [nm]	800
Fluorescence Lifetime	τ_{fl} [ns]	3.1
Charge	Δq	0
Molecular Weight	MW [g/mol]	456.5
Derivative/Conjugate	Carboxylic acid	

Photophysical properties were measured for carboxylic acid in PBS pH 7.4.

Storage

The product contains a vial of lyophilized powder and is shipped at room temperature. Upon arrival, please store the product at -20 °C. For proper long-term storage up to one year, protect the product from light and moisture.

- Our abberior carboxylic acid derivates come as a freeze-dried powder and should be dissolved in DMF, DMSO, or acetonitrile.